



# BEE PHARMO LABS PVT. LIMITED

5-6-7, KAKAD ESTATE, DR. R.G. THADHANI MARG, WORLI, MUMBAI-400 018.  
PH: 2493 7942, FAX: 91-22-2493 2874, E-MAIL : beepharm@vsnl.com

NABL ACCREDITED T-193 & T-194 ISO/IEC 17025 for pharmacopoeial tests

## CERTIFICATE OF ANALYSIS

NUMBER : N/09/3010/001

**Sample Received from :** MEDIACESO HEALTHCARE PVT.LTD  
4TH FLOOR, 98, V.P.ROAD,  
C.P.TANK, MUMBAI-400 004

**Date of Receipt :** 30/10/2009      **Ref. No. :** VARUN BHOMIA      **Date :** 29/10/2009

**Sample :** SHECUP

**Test Required :** ACUTE SYST.TOXI+INTRA.TOXI+  
IMPLANTATION/USP  
Sample NOT DRAWN by Bee Pharmo Labs Pvt. Ltd.

**Received Quantity :** 1 X 4 PCS

Details :	B. No.	Lot size	Mfg. Date	Exp. Date	Manufacturer
-----------	--------	----------	-----------	-----------	--------------

The sample's identity and particulars are as supplied by the party and not verified by us, except as mentioned specifically.

### RESULTS OF TESTS AS PER USP

- (e) Intracutaneous injection test in rabbits with extract in sodium chloride injection : Complies with USP test.
- (f) Intracutaneous injection test in rabbits with extract in 5 %v/v solution of ethanol in sodium chloride injection : Complies with USP test.
- (g) Intracutaneous injection test in rabbits with extract in PEG 400 : complies with USP test.
- (h) Intracutaneous injection test in rabbits with extract in vegetable oil (Arachis oil) : Complies with USP test.
- 3. Implantation test in rabbits : Complies  
No haemorrhage, necrosis, discolouration, infection or encapsulation was observed around any of the implants.

[USP requirements : Encapsulation, if present, does not show score difference of more than 1.0 between the sample and the standard implants.]

**OPINION :** (The opinion is in respect of the tests carried out on the sample, as mentioned above. Certification or endorsement of the product is neither inferred nor implied. Legal liability is limited to the value in the invoice for testing.)

This Certificate shall not be reproduced except in full, without our written approval.)  
THE SUBMITTED SAMPLE COMPLIES WITH ABOVE TESTS - AS PER USP

**DATE :** 05/11/2009

  
**Authorised Signatory**